ELSEVIER

Neuroscience Letters 248 (1998) 209–212

Neuroscience Letters

Author Index to Volume 248

Aguilar-Veiga, E., see Sierra-Paredes, G., 53
Akaike, A., see Tomita, Y., 195
Aledo, R., see Ezquerra, M., 1
Aloe, L., see Bracci-Laudiero, L., 97
Arima, H., see Kakiya, S., 144
Ascaso, C., see Ezquerra, M., 1

Bailey, C.J., see MacDonald, S., 85
Ballesta, F., see Ezquerra, M., 1
Barber, P.C., see Parsons, R.B., 101
Berger, H.M., see Shadid, M., 5
Bizot, J.-C., see Puma, C., 183
Blennerhassett, M.G., see Lourenssen, S., 77
Blumer, R., Lukas, J.R., Wasicky, R., Mayr, R., Presence and structure of innervated myotendinous cylinders in sheep extraocular muscle, 49
Bracci-Laudiero, L., Aloe, L., Stenfors, C., Theodorsson, E., Lundeberg, T., Development of systemic lupus erythematosus in mice is associated with alteration of neuropeptide concentrations in inflamed kidneys and immunoregulatory organs, 97
Breteler, M.M.B., see Slooter, A.J.C., 21
Brune, K., see Euchenhofer; C. Maihöfner, C., 25
Buonocore, G., see Shadid, M., 5
Burnham, W.M., see Scott, B.W., 73

Cammer, W., see Tansey, F.A., 159
Carroll, J.E., see Howard, E.F., 199
Casalbore, P., see Lorusso, G.F., 9
Cass, W.A., Manning, M.W., Dugan, M.T., Effects of neurotoxic doses of methamphetamine on potassium and amphetamine evoked overflow of dopamine in the striatum of awake rats, 175
Chai, C.-Y., see Su, C.-K., 191
Chen, C.-H., Houchi, H., Ohnaka, M., Sakamoto, S., Niwa, Y., Nakaya, Y., Nitric oxide activates Ca^{2+}-activated K^+ channels in cultured bovine adrenal chromaffin cells, 127
Chen, Q., see Howard, E.F., 199
Cheng, C., see Howard, E.F., 199
Cho, E.Y.P., see Lee, Y.L., 29
Choi, R.C.Y., Yam, S.C.Y., Hui, B., Wan, D.C.C., Tsim, K.W.K., Overexpression of acetylcholinesterase stimulates the expression of agrin in NG108–15 cells, 17
Ciotti, M.T., see Lorusso, G.F., 9
Coffey, P., see Sasaki, H., 117
Colard, C., see Hervé, C., 133
Costentin, J., see Leroux-Nicollet, I., 167
Cruts, M., see Slooter, A.J.C., 21

Dampney, R.A.L., see Horiuchi, J., 113
De Boni, U., see Scott, B.W., 73
de Knijff, P., see Slooter, A.J.C., 21
De Stasio, G., see Lorusso, G.F., 9
Debilly, G., see del C. González, M.M., 93
Decchi, B., see Rossi, A., 155
Dedov, V.N., Roufogalis, B.D., Rat dorsal root ganglion neurones express different capsaicin-evoked Ca^{2+} transients and permeabilities to Mn^{2+}, 151
Degen, O., see Meyding-Lamadé, U., 13
del C. González, M.M., Debilly, G., Valatx, J.-L., Noradrenaline neurotoxin DSP-4 effects on sleep and brain temperature in the rat, 93
Dubayle, D., Viala, D., Entrainment of the medullary respiratory generators by electrical stimulation in the cervical grey matter on in vitro preparations of newborn rat, 204
Dugan, M.T., see Cass, W.A., 175
Dumas, T.C., Foster, T.C., $GABA_b$ receptors differentially regulate hippocampal CA1 excitatory synaptic transmission across postnatal development in the rat, 138
Dumsday, B., see Moffatt, J.D., 37

Egozcue, J., see Ezquerra, M., 1
Endres, M., Scott, G., Namura, S., Salzman, A.L., Huang, P.L., Moskowitz, M.A., Szabó, C., Role of peroxynitrite and neuronal nitric oxide synthase in the activation of poly(ADP-ribose) synthetase in a murine model of cerebral ischemia-reperfusion, 41
Euchenhofer; C. Maihöfner, C., Brune, K., Tegeder, I., Geisslinger, G., Differential effect of selective cyclooxygenase-2 (COX-2) inhibitor NS 398 and diclofenac on formalin-induced nociception in the rat, 25
Ezquerra, M., Ballesta, F., Queralt, R., Aledo, R., Gómez, D., Guitart, M., Egozcue, J., Ascaso, C., Oliva, R., Apolipoprotein E $\epsilon 4$ alleles and meiotic origin of non-disjunction in Down syndrome children and in their corresponding fathers and mothers, 1

Fan, D.-s., Ogawa, M., Ikeguchi, K., Fujimoto, K.-i., Urabe, M., Kume, A., Nishizawa, M., Matsushita, N., Kiuchi, K., Ichinose, H., Nagatsu, T., Kurtzman, G.J., Nakano, I., Ozawa, K., Prevention of dopaminergic neuron death by adeno-associated virus vector-mediated GDNF gene transfer in rat mesencephalic cells in vitro, 61
Fellmann, D., see Hervé, C., 133
Ferrali, M., see Shadid, M., 5
Fischer-Colbrie, R., see Leitner, B., 105
Follett, K.A., see Ness, T.J., 33
Foster, T.C., see Dumas, T.C., 138
Fujimoto, K.-i., see Fan, D.-s., 61
Fukuda, Y., see Sasaki, H., 117
Funayama, M., see Tomita, Y., 195

Galán-Valiente, J., see Sierra-Paredes, G., 53
Geisslinger, G., see Euchenhofer; C. Maihöfner, C., 25
Gerkema, M.P., see Jansen, K., 81
Gibbins, I.L., Hoffmann, B., Morris, J.L., Peripheral fields of sympathetic vasoconstrictor neurons in guinea pigs, 89
Gilbert, B., see Lorusso, G.F., 9

PII S0304-3940(98)00404-2

Goebel, U., see Türker, T., 147
Gómez, D., see Ezquerra, M., 1
Gonçalves, C.A., see Kommers, T., 141
Gosztonyi, G., see Meyding-Lamadé, U., 13
Griffond, B., see Hervé, C., 133
Grillon, S., see Hervé, C., 133
Groccia, V., see Rossi, A., 155
Groenendaal, F., see Shadid, M., 5
Guitart, M., see Ezquerra, M., 1

Hacke, W., see Meyding-Lamadé, U., 13
Hao, S., Ogawa, H., Sevoflurane suppresses behavioral response in the rat formalin test: combination with intrathecal lidocaine produced profound suppression of the response, 124
Havekes, L.M., see Slooter, A.J.C., 21
Hayashi, M., see Moriyama, Y., 57
Heß, T., see Meyding-Lamadé, U., 13
Hervé, C., Colard, C., Grillon, S., Fellmann, D., Griffond, B., Polyethylene glycol-induced hypovolemia affects the expression of MCH mRNA, but not dynorphin or secretogranin II mRNAs, in the rat lateral hypothalamus, 133
Hess, D., see Howard, E.F., 199
Hirai, S., see Tanaka, M., 68
Hoffmann, B., see Gibbins, I.L., 89
Hofman, A., see Slooter, A.J.C., 21
Horiuchi, J., Dampney, R.A.L., Dependence of sympathetic vasomotor tone on bilateral inputs from the rostral ventrolateral medulla in the rabbit: role of baroreceptor reflexes, 113
Houchi, H., see Chen, C.-H., 127
Howard, E.F., Chen, Q., Cheng, C., Carroll, J.E., Hess, D., NF-κB is activated and ICAM-1 gene expression is upregulated during reoxygenation of human brain endothelial cells, 199
Huang, P.L., see Endres, M., 41
Hui, B., see Choi, R.C.Y., 17

Ichinose, H., see Fan, D.-s., 61
Ikeguchi, K., see Fan, D.-s., 61
Inoue, T., see Sasaki, H., 117
Iso, H., see Sasaki, H., 117
Iwasaki, Y., see Kakiya, S., 144

Jansen, K., Van der Zee, E.A., Gerkema, M.P., Concurrent decrease of vasopressin and protein kinase Cα immunoreactivity during the light phase in the vole suprachiasmatic nucleus, 81
Jatzke, S., see Türker, T., 147

Kakiya, S., Yokoi, H., Arima, H., Iwasaki, Y., Oki, Y., Oiso, Y., Central administration of urocortin inhibits vasopressin release in conscious rats, 144
Kaneko, S., see Tomita, Y., 195
Kehm, R., see Meyding-Lamadé, U., 13
Khen, S., see Sañudo-Peña, M.C., 171
Kimura, J., see Tsuji, T., 109
Kiuchi, K., see Fan, D.-s., 61
Klocker, H., see Leitner, B., 105
Knapp, M., see Türker, T., 147
Knopf, K.W., see Meyding-Lamadé, U., 13
Kommers, T., Vinadé, L., Pereira, C., Gonçalves, C.A., Wofchuk, S., Rodnight, R., Regulation of the phosphorylation of glial fibrillary acidic protein (GFAP) by glutamate and calcium ions in slices of immature rat spinal cord: comparison with immature hippocampus, 141
Kondo, H., see Tomita, Y., 195
Korhonen, T., see Ruusuvirta, T., 45
Kulkarni, J.S., Przywara, D.A., Wakade, T.D., Wakade, A.R., Adenosine induces apoptosis by inhibiting mRNA and protein synthesis in chick embryonic sympathetic neurons, 187
Kumar, S., Biphasic effect of aluminium on cholinergic enzyme of rat brain, 121
Kume, A., see Fan, D.-s., 61
Kurtzman, G.J., see Fan, D.-s., 61

Lamadé, W., see Meyding-Lamadé, U., 13
Lee, Y.L., Cho, E.Y.P., Yung, K.K.L., Differential localization of $GABA_A$ receptor α and β subunits in the hamster retina and relationship with glutamic acid decarboxylase immunoreactivity, 29
Leitner, B., Schneitler, C., Klocker, H., Volknandt, W., Zimmermann, H., Winkler, H., Fischer-Colbrie, R., Formation and sequence analysis of secretoneurin, a neuropeptide derived from secretogranin II, in mammalian, bird, reptile, amphibian and fish brainss, 105
Leroux-Nicollet, I., Costentin, J., Transient expression of the vesicular monoamine transporter during development in the rat thalamus and cortex, 167
Lesch, K.-P., see Türker, T., 147
Lorusso, G.F., De Stasio, G., Gilbert, B., Perret, D., Perfetti, P., Margaritondo, G., Casalbore, P., Ciotti, M.T., Milazzo, L., Mercanti, D., High sensitivity quantitative analysis of cobalt uptake in rat cerebellar granule cells with and without excitatory amino acids, 9
Lourenssen, S., Blennerhassett, M.G., Lysophosphatidylserine potentiates nerve growth factor-induced differentiation of PC12 cells, 77
Lukas, J.R., see Blumer, R., 49
Lundeberg, T., see Bracci-Laudiero, L., 97

MacDonald, S., Smith, M.E., Bailey, C.J., Expression of β-endorphin and its receptors in the spinal cord of obese-diabetic ob/ob mice, 85
Manning, M.W., see Cass, W.A., 175
Margaritondo, G., see Lorusso, G.F., 9
Matsuoka, T., Nishizaki, T., Nomura, T., Mori, M., Okada, Y., ATP produces potassium currents via P_3 purinoceptor in the follicle cell layer of *Xenopus* oocytes, 130
Matsushita, N., see Fan, D.-s., 61
Mayr, R., see Blumer, R., 49
McLean, J.R., see Moffatt, J.D., 37
Mellerup, E., see Plenge, P., 65
Mendez-Alvarez, E., see Sierra-Paredes, G., 53
Mercanti, D., see Lorusso, G.F., 9
Meyding-Lamadé, U., Lamadé, W., Kehm, R., Knopf, K.W., Heß, T., Gosztonyi, G., Degen, O., Hacke, W., Herpes simplex virus encephalitis: cranial magnetic resonance imaging and neuropathology in a mouse model, 13
Milazzo, L., see Lorusso, G.F., 9
Moffatt, J.D., Dumsday, B., McLean, J.R., Non-adrenergic, non-cholinergic neurons innervating the guinea-pig trachea are located in the oesophagus: evidence from retrograde neuronal tracing, 37
Moison, R., see Shadid, M., 5
Mori, M., see Matsuoka, T., 130
Moriyama, Y., Yamada, H., Hayashi, M., Oda, T., Yamaguchi, A., Identification of D-aspartate in rat pheochromocytoma PC12 cells, 57

Morris, J.L., see Gibbins, I.L., 89
Moskowitz, M.A., see Endres, M., 41

Nagatsu, T., see Fan, D.-s., 61
Nakano, I., see Fan, D.-s., 61
Nakaya, Y., see Chen, C.-H., 127
Namura, S., see Endres, M., 41
Ness, T.J., Follett, K.A., The development of tolerance to intrathecal morphine in rat models of visceral and cutaneous pain, 33
Nishizaki, T., see Matsuoka, T., 130
Nishizawa, M., see Fan, D.-s., 61
Niwa, Y., see Chen, C.-H., 127
Nomura, T., see Matsuoka, T., 130

Oda, T., see Moriyama, Y., 57
Ogawa, H., see Hao, S., 124
Ogawa, M., see Fan, D.-s., 61
Ohnaka, M., see Chen, C.-H., 127
Oiso, Y., see Kakiya, S., 144
Okada, Y., see Matsuoka, T., 130
Okamoto, K., see Tanaka, M., 68
Oki, Y., see Kakiya, S., 144
Oliva, R., see Ezquerra, M., 1
Ozawa, K., see Fan, D.-s., 61

Parsons, R.B., Barber, P.C., Waring, R.H., Williams, A.C., Ramsden, D.B., Cysteine dioxygenase: regional expression of activity in rat brain, 101
Patrick, R.L., see Sañudo-Peña, M.C., 171
Patrick, S.L., see Sañudo-Peña, M.C., 171
Penttonen, M., see Ruusuvirta, T., 45
Pereira, C., see Kommers, T., 141
Perfetti, P., see Lorusso, G.F., 9
Perret, D., see Lorusso, G.F., 9
Pfeffer, M., Stehle, J.H., Ontogeny of a diurnal rhythm in arylalkylamine-*N*-acetyltransferase mRNA in rat pineal gland, 163
Plenge, P., Mellerup, E., Non-acetylcholine displaceable ^{3}[H]epibatidine binding in the rat brain, 65
Przywara, D.A., see Kulkarni, J.S., 187
Puma, C., Bizot, J.-C., Intraseptal infusions of a low dose of AP5, a NMDA receptor antagonist, improves memory in an object recognition task in rats, 183

Queralt, R., see Ezquerra, M., 1

Ramsden, D.B., see Parsons, R.B., 101
Rodnight, R., see Kommers, T., 141
Rossi, A., Decchi, B., Groccia, V., Volpe, R.D., Spidalieri, R., Interactions between nociceptive and non-nociceptive afferent projections to cerebral cortex in humans, 155
Roufogalis, B.D., see Dedov, V.N., 151
Ruusuvirta, T., Penttonen, M., Korhonen, T., Auditory cortical event-related potentials to pitch deviances in rats, 45

Sañudo-Peña, M.C., Patrick, S.L., Khen, S., Patrick, R.L., Tsou, K., Walker, J.M., Cannabinoid effects in basal ganglia in a rat model of Parkinson's disease, 171
Sakamoto, S., see Chen, C.-H., 127
Salzman, A.L., see Endres, M., 41
Sasaki, H., Iso, H., Coffey, P., Inoue, T., Fukuda, Y., Prepulse facilitation of auditory startle response in hamsters, 117
Satoh, M., see Tomita, Y., 195
Schütz, H., see Türker, T., 147
Schneitler, C., see Leitner, B., 105
Schuster, R., see Türker, T., 147
Scott, B.W., Wang, S., Burnham, W.M., De Boni, U., Wojtowicz, J.M., Kindling-induced neurogenesis in the dentate gyrus of the rat, 73
Scott, G., see Endres, M., 41
Shadid, M., Buonocore, G., Groenendaal, F., Moison, R., Ferrali, M., Berger, H.M., van Bel, F., Effect of deferoxamine and allopurinol on non-protein-bound iron concentrations in plasma and cortical brain tissue of newborn lambs following hypoxia-ischemia, 5
Shimizu, K., see Tsuji, T., 109
Shimohama, S., see Tsuji, T., 109
Sierra-Marcuñ, G., see Sierra-Paredes, G., 53
Sierra-Paredes, G., Galán-Valiente, J., Vazquez-Illanes, M.D., Aguilar-Veiga, E., Soto-Otero, R., Mendez-Alvarez, E., Sierra-Marcuñ, G., xtracellular amino acids in the rat hippocampus during picrotoxin threshold seizures in chronic microdialysis experiments, 53
Slooter, A.J.C., de Knijff, P., Hofman, A., Cruts, M., Breteler, M.M.B., Van Broeckhoven, C., Havekes, L.M., van Duijn, C.M., Serum apolipoprotein E level is not increased in Alzheimer's disease: the Rotterdam study, 21
Smith, M.E., see MacDonald, S., 85
Sodmann, R., see Türker, T., 147
Soto-Otero, R., see Sierra-Paredes, G., 53
Sparks, D.L., Anatomy of a new paired tract of the pineal gland in humans, 179
Spidalieri, R., see Rossi, A., 155
Stöber, G., see Türker, T., 147
Stehle, J.H., see Pfeffer, M., 163
Stenfors, C., see Bracci-Laudiero, L., 97
Su, C.-K., Chai, C.-Y., GABAergic inhibition of neonatal rat phrenic motoneurons, 191
Szabó, C., see Endres, M., 41

Türker, T., Sodmann, R., Goebel, U., Jatzke, S., Knapp, M., Lesch, K.-P., Schuster, R., Schütz, H., Weiler, G., Stöber, G., High ethanol tolerance in young adults is associated with the low-activity variant of the promoter of the human serotonin transporter gene, 147
Tanaka, M., Yoshida, T., Okamoto, K., Hirai, S., Antioxidant properties of nicergoline; inhibition of brain auto-oxidation and superoxide production of neutrophils in rats, 68
Tansey, F.A., Cammer, W., Differential uptake of dextran beads by astrocytes, macrophages and oligodendrocytes in mixed glial-cell cultures from brains of neonatal rats, 159
Tegeder, I., see Euchenhofer; C. Maihöfner, C., 25
Theodorsson, E., see Bracci-Laudiero, L., 97
Tomita, Y., Kaneko, S., Funayama, M., Kondo, H., Satoh, M., Akaike, A., Intracellular Ca^{2+} store-operated influx of Ca^{2+} through TRP-R, a rat homolog of TRP, expressed in *Xenopus* oocytes, 195
Tsim, K.W.K., see Choi, R.C.Y., 17
Tsou, K., see Sañudo-Peña, M.C., 171
Tsuji, T., Shimohama, S., Kimura, J., Shimizu, K., m-Calpain (calcium-activated neutral proteinase) in Alzheimer's disease brains, 109

Urabe, M., see Fan, D.-s., 61

Valatx, J.-L., see del C. González, M.M., 93

van Bel, F., see Shadid, M., 5
Van Broeckhoven, C., see Slooter, A.J.C., 21
Van der Zee, E.A., see Jansen, K., 81
van Duijn, C.M., see Slooter, A.J.C., 21
Vazquez-Illanes, M.D., see Sierra-Paredes, G., 53
Viala, D., see Dubayle, D., 204
Vinadé, L., see Kommers, T., 141
Volknandt, W., see Leitner, B., 105
Volpe, R.D., see Rossi, A., 155

Wakade, A.R., see Kulkarni, J.S., 187
Wakade, T.D., see Kulkarni, J.S., 187
Walker, J.M., see Sañudo-Peña, M.C., 171
Wan, D.C.C., see Choi, R.C.Y., 17
Wang, S., see Scott, B.W., 73
Waring, R.H., see Parsons, R.B., 101
Wasicky, R., see Blumer, R., 49
Weiler, G., see Türker, T., 147
Williams, A.C., see Parsons, R.B., 101
Winkler, H., see Leitner, B., 105
Wofchuk, S., see Kommers, T., 141
Wojtowicz, J.M., see Scott, B.W., 73

Yam, S.C.Y., see Choi, R.C.Y., 17
Yamada, H., see Moriyama, Y., 57
Yamaguchi, A., see Moriyama, Y., 57
Yokoi, H., see Kakiya, S., 144
Yoshida, T., see Tanaka, M., 68
Yung, K.K.L., see Lee, Y.L., 29

Zimmermann, H., see Leitner, B., 105